Technical.bulletin

CL036

2012 Page 1

| Clutch

Transit Conversion Kit

835000, 835057, 835060

Transit Conversion Kit Applications

Valeo Service (UK) produce three conversion kits for Ford Transits, depending on the model of the vehicle and type of gearbox used.

Solid Flywheel Conversion Kit 835000 can be fitted to:

2.4 Transits built between 01/00 and 03/2006 with a 5 speed gearbox (MT75), **NOT** the 6 speed gearbox (MT82). The earlier Transit (01/00 – 03/06) used a different design of headlights and body type. An example of a Transit built between 01/00> 04/06 is shown below.



Transit 2000 - 2006

The solid flywheel conversion kit 835000 can also be fitted to several other applications. These are:





www.valeoservice.co.uk Valeo Service (UK) Ltd, Heming Road, Washford, Redditch, Worcestershire, B98 0DZ Tel: 01527 838300 Fax: 01527 523732



Technical.bulletin

CL-036

2012 Page 2

| Clutch

Transit Conversion Kit

835000, 835057, 835060

Transit Conversion Kit Applications

Solid Flywheel Conversion Kit 835057 can be fitted to:

2.4 Ford Transits built from 04/06> with a 100 bhp engine and a 5 speed (MT75) gearbox).

Below is an image of a 04/06> Ford Transit.



Transit 04/06>

If the 2.4 Ford Transit is built from 04/06> with a 115 bhp engine and is fitted with a 6 speed (MT82) gearbox.



MT82 (6 speed) gearbox

Solid Flywheel Conversion Kit is 835060.

835060 DOES NOT come with a CSC (concentric slave cylinder).



www.valeoservice.co.uk Valeo Service (UK) Ltd, Heming Road, Washford, Redditch, Worcestershire, B98 0DZ Tel: 01527 838300 Fax: 01527 523732



Technical.bulletin

CL-036

2012 Page 3

| Clutch

I Transit Conversion Kit

835000, 835057, 835060

Transit Conversion Kit Applications

What is in 835000 and 835057 conversion kits?

Valeo Technical also receive calls enquiring what is contained in the conversion kits. Below is a photograph of a kit with each part labelled and arrowed. Every part in the kit is to be used to ensure a correct fitment and operation. Before fitment of the flywheel conversion kit, please ensure the friction surface area on the flywheel and the pressure plate are fully degreased so clutch slipping or juddering issues do not occur once fitted.



The release arm **MUST** be replaced when fitting 835000 to ensure correct operation of the release mechanism. Ford OE ref. 4412069 must not be used, only use Ford OE ref. 4401551. An equivalent of this arm is supplied in the kit.



